

44(0)1473

www.sfservices.com Email: info@sfservices.com

MK 1060ST Multifoil - 760mm x 1060mm Automatic Platen Foil Stamping, Embossing and Cutting & Creasing Machine

Ipswich, Suffolk, UK



A great opportunity to purchase a good quality preowned MK 1060ST – 760mm x 1,060mm high speed Foil Stamping, Embossing and Cutting & Creasing Machine.

Our Ref: 2373

Key Features: Year: 2013 – Refurbished 2021 (Available February 2021)

Non-stop pre-loader
Dual function foil stamping and embossing
Cross foil pull system
Hologram Registration
20 zone heated bed
Air blowers in machine and cross directions help sheets discharge
Delivery brush rollers for longitudinal foil can be used for various width foils

BPif picon

Price: On request





MK 1060ST 760mm x 1060mm Automatic Platen Foil Stamping, Embossing + Cutting & Creasing Machine

Maitland Road, Needham Market, Ipswich, Suffolk, UK

High Speed, High Accuracy, High Stability, High Returns!

44(0)1473

Automatic Foil Stamping / Embossing Speed 7,500 sheet/hour

The MK 1060ST is one of Masterwork's finest automatic industrial foil stamping and embossing machines. This piece of foil stamping equipment will allow your packaging company to compete with the cream of the crop as it offers easy operation and is extremely durable. The MK 1060ST makes operation easier and more efficient by featuring a set of user-friendly electronic controls.

www.sfservices.com Email: info@sfservices.com

The MK 1060ST is a machine offering a wide range of foil stamping, which has transversal and longitudinal two direction foil feeding functions.

Besides the automatic control system, more pneumatic control systems are used, for example the vacuum feeding system, pneumatic jogger, pneumatic sample picking, as well as pneumatic delivery

When it comes to enhancing the already outstanding image of your packaging company it has never been easier than through the use of the MK 1060ST.











MK 1060ST 760mm x 1060mm Automatic Platen Foil Stamping, Embossing + Cutting & Creasing Machine

SF Services Unit 29 Maitland Road, Needham Market, Ipswich, Suffolk, UK

Tel:+44(0)1473 725161 Fax: +44(0)1473 271601 www.sfservices.com Email: info@sfservices.com

Maintenance history and documentation

- The machine includes:
- Machine documentation
 - Operators manual
 - Parts Manual
 - Electrical wiring diagram

Installation, commissioning and requirements

The machine dimensions are:

Weight 20T, length 6,100mm x width 4,560mm x height 2,265mm The electrical supply requirement is: 3 Phase 50Hz 380 – 415V - 54.9KWp Air supply: $0.6 \sim 0.7$ Mpa, ≥ 0.8 m³/min

SF Services can install and commission the machine anywhere in the world using our own skilled engineers. Please ask for a price.

Warranty

This machine is offered "3 Months parts" can be seen in production, subject to our terms and conditions, which are available on request.

Disclaimer

These details have been prepared in good faith but do not form part of any contract. It is for the purchaser to inspect the machine and satisfy themselves as to the suitability and condition of the machine prior to entering into any contract.











MK 1060ST 760mm x 1060mm Automatic Platen Foil Stamping, Embossing + Cutting & Creasing Machine

Technical Data Maximum Sheet Size Minimum Sheet Size Maximum Stamping Size Gripper Margin Inner Chase Size Sheet Weight (g/m ²) Sheet Thickness Stamping Accuracy Hologram Stamping Accuracy Maximum Working Pressure The Foil Feeding System (Press 1) Max. Foil Diameter (longitudinal) Max. Foil Diameter (transversal) Max. Foil Diameter (transversal) Max. Hologram Stamping Speed Max. Hologram Stamping Speed Max. Feeder Pile Height Max. Delivery Pile Height Foil Width Electrical Heating System Main Motor Wattage Rated Wattage	760mm x 1,060mm 350mm x 400mm 740mm x 1,060mm 13 \pm 4mm 770mm x 1,120mm 90 \sim 2,000g 0.1 \sim 2mm $\leq \pm$ 0.075mm $\leq \pm$ 0.20mm 260 Tons 3 longitudinal + 1 transversal 250mm 200mm 7,500 sheets per hour 5,500 sheets per hour 1250mm 1050mm 20 \sim 1060mm 20 heating zones, 40 \sim 180°C adjustable 11KW 30KW
Full Load Wattage	54.9KW
General Dimensions Approximate (Operation platform included) Net Weight Air Supply Machine Power supply	6,100mm (L) x 4,560mm (W) x 2,265mm (H) 20 Ton (approximately) 0.6~0.7Mpa,≥0.8m³/min 3 Phase neutral and earth connections 380 / 415 / 440 V

3 Phase neutral and earth connections 380 / 415 / 440 V 50 / 60 Hz, 54.9 KW





Machine Features			
High-Speed Suction Feeder Head		Intermittent High-Speed Fan Gear Mech	•
Non-Stop Sheet Feeding System		Patent Design Gripper Bar	•
Non-Stop Sheet Delivery System		Automatic Lubrication System	•
High Performance Single-point Clutch		CE Certification	•
Wide Conveyer Belt		Pressure Overload Protection	•
Imported Torque Limiter		Mitsubishi Q Series PLC	•
Imported Worm Wheel		Standard Honeycomb Chase	•
Pneumatic Locking Device		Foil Rewinding Unit - Optional	
Two-Way Pneumatic Locking Device		Pull & Push Side lay Left	•
3+1.2 Modular Adjustable Lower Plate		Pull & Push Side lay Right	•
Film Fixtures		Electronic Side lay sheet detection	•
Imported Pneumatic Clutch		Electronic head lay sheet detection	•
20-zone Heating Zones			
Foil Precision Servo Foil Feed System Transverse			
Foil Precision Vertical Foil Feed Servo System			
Stretchable Foil Frame Release			
Foil Break Detection System			
Air Blast Foil Separation Device			
Central Registration system			

