



449 553 400 Email:info@sfservices.com

rick Road, Ipswicn, IP3 9RY, England



A great opportunity to purchase a top quality preowned MK 1060ST – 760mm x 1060mm high speed Foil Stamping, Embossing and Cutting & Creasing Machine.

Our Ref: 2460

Key Features: Year: 2013 – Refurbished 2024

Non-stop pre-loader Dual function foil stamping and embossing Cross foil pull system Honeycomb chase pneumatic lock-up system Revolving sheet hold-down bar at in-feed, provides larger operation room 20 zone heated bed Air blowers in machine and cross directions help sheets discharge Delivery brush rollers for longitudinal foil can be used for various width foils

BPIF

picon

Price: On request





MK 1060ST 760mm x 1060mm Automatic Platen Foil Stamping, Embossing + Cutting & Creasing Machine

High Speed, High Accuracy, High Stability, High Returns!

4 Berwick Road, Ipswich, IP3 9RY, England

Automatic Foil Stamping / Embossing Speed 7,500 sheet/hour

The MK 1060ST is one of Masterwork's finest automatic industrial foil stamping and embossing machines. This piece of foil stamping equipment will allow your packaging company to compete with the cream of the crop as it offers easy operation and is extremely durable. The MK 1060ST makes operation easier and more efficient by featuring a set of user-friendly electronic controls.

44 01449 553 400 Email:info@sfservices.com

The MK 1060ST is a machine offering a wide range of foil stamping, which has transversal and longitudinal two direction foil feeding functions.

Besides the automatic control system, more pneumatic control systems are used, for example the vacuum feeding system, pneumatic jogger, pneumatic sample picking, as well as pneumatic delivery

When it comes to enhancing the already outstanding image of your packaging company it has never been easier than through the use of the MK 1060ST.















BPif picon

Contact us today for more details Tel: +44 (0)1449 553400 Email: info@sfservices.com



MK 1060ST 760mm x 1060mm Automatic Platen Foil Stamping, Embossing + Cutting & Creasing Machine

Maintenance history and documentation The machine includes: Machine documentation Operators manual Parts Manual • Electrical wiring diagram Consumables SF Services' can provide all consumables needed for production, which can be purchased either on line at; www.sfservices.com or by phone and include: Die fixing systems (both toggle and bunter post) and make ready Installation, commissioning and requirements The machine dimensions are: Weight 20T, length 6,100mm x width 4,560mm x height 2,265mm The electrical supply requirement is: 3 Phase 50Hz 380 - 415V - 54.9KWp Air supply: $0.6 \sim 0.7 Mpa$, $\geq 0.8 m^3/min$ SF Services can install and commission the machine anywhere in the world using our own skilled engineers. Please ask for a price. DEMARK HILLSINESS AUTOMOTION B Warranty LOGO This machine is offered with various warranty options, subject to our terms and conditions, which are available on request. ADVANTAGE Disclaimer These details have been prepared in good faith but do not form part of any contract. It is for the purchaser to inspect the machine and satisfy themselves as to the suitability and condition of the machine prior to entering into any contract.

BPIF

picon



MK 1060ST 760mm x 1060mm Automatic Platen Foil Stamping, Embossing + Cutting & Creasing Machine

ces.com

Dimensions Approximate 6,100mm (L) x 4,560mm (W) x 2,265mm (H) (Operation platform included) Net Weight 20 Ton (approximately) Air Supply 0.6~0.7Mpa,≥0.8m³/min 3 Phase neutral and earth connections 380 / 415 / 440 V Machine Power supply 50 / 60 Hz, 54.9 KW





Machine Features			
High-Speed Suction Feeder Head	٠	Intermittent High-Speed Fan Gear Mech	•
Non-Stop Sheet Feeding System	٠	Patent Design Gripper Bar	•
Non-Stop Sheet Delivery System	٠	Automatic Lubrication System	•
High Performance Single-point Clutch	•	CE Certification	•
Wide Conveyer Belt	•	Pressure Overload Protection	•
Imported Torque Limiter	•	Mitsubishi Q Series PLC	•
Imported Worm Wheel	•	Standard Honeycomb Chase	•
Pneumatic Locking Device	•	Pull & Push Side lay Left	•
Two-Way Pneumatic Locking Device	•	Pull & Push Side lay Right	•
3+1.2 Modular Adjustable Lower Plate	•	Electronic Side lay sheet detection	•
Film Fixtures	•	Electronic head lay sheet detection	•
Imported Pneumatic Clutch	•		
20-zone Heating Zones	٠		
Foil Precision Servo Foil Feed System Transverse	٠		
Foil Precision Vertical Foil Feed Servo System	٠		
Stretchable Foil Frame Release	٠		
Foil Break Detection System	٠		
Air Blast Foil Separation Device	٠		
Central Registration system	٠		

vices.com

