

SF Print Services Ltd

www.sfservices.com

Tel: 0044 (0) 1449 553 400 Email: info@sfservices.com

Saroglia FUB74 - 560mm x 740mm Platen Foil Blocking & Cutting / Creasing Machine



A good opportunity to purchase a Excellent quality pre-owned Saroglia Platen foil blocking machine that has been fully serviced and well maintained.

Our Ref: **2504**

Key Features: **Year: 2000**
Excellent condition
4 zone heated bed
2 foil pulls
Full Service history
Honeycomb heater plate
Can be viewed in operation

Price: On Request

Contact us today for more details

Tel: +44 (0)1443 553 400 Email: info@sfservices.com



SF Print Services Ltd

www.sfservices.com

Tel: 0044 (0) 1449 553 400 Email: info@sfservices.com

Saroglia FUB74 560mm x 740mm **Platen Foil Blocking + Cutting & Creasing Machine**

History

Manufactured by Saroglia in 2000

Base machine

The base machine is a Saroglia 560mm x 740mm platen

- 110 Tons of pressure
- 2,700 impressions per hour
- Over tonnage protection system
- Ability for foil stamping, embossing and die cutting
- Saroglia automatic feeder



Foil system

Features:

- Transverse foil system
- 2 foil draw rollers
- Servo foil drive system
- Complex foil advance programme



Heated bed

Features:

- Unique 4 zone design, manufactured specifically for the Saroglia
- Stamping and embossing plate
- Spare original High grade cast iron heater plate
- Removable heater plate to allow for cutting and creasing
- Set for 6.35mm dies can be made to fit 7.00mm dies



Electrical system

Features:

- Original electrical drive system
- 4 individual temperature control heater system
- Servo motor – foil tension control accurate
- All components available world wide
- Plug and play mounted electrical panel



Contact us today for more details

Tel: +44 (0)1443 553 400 Email: info@sfservices.com



SF Print Services Ltd

www.sfservices.com

Tel: 0044 (0) 1449 553 400 Email: info@sfservices.com

Saroglia FUB74 560mm x 740mm **Platen Foil Blocking Machine**

Maintenance history and documentation

The machine includes:

- Machine documentation
 - Operators manual
 - Parts Manual
 - Electrical wiring diagram



Installation, commissioning, and requirements

The machine dimensions are:

length 2,600mm x width 1,600mm x height 1,980mm

The electrical supply requirement is: 3 Phase 50Hz 380 – 415V 11Kw

Air supply 4 bar 60ltr/min required

SF Services can install and commission the machine anywhere in the world using our own skilled engineers. Please ask for a price.



Warranty

This machine is not offered with warranty options, sold as seen subject to our terms and conditions, which are available on request.



Disclaimer

These details have been prepared in good faith but do not form part of any contract. It is for the purchaser to inspect the machine and satisfy themselves as to the suitability and condition of the machine prior to entering into any contract.



Contact us today for more details

Tel: +44 (0)1443 553 400 Email: info@sfservices.com



SF Print Services Ltd

www.sfservices.com

Tel: 0044 (0) 1449 553 400 Email: info@sfservices.com

Saroglia FUB74 560mm x 740mm **Technical Specification**

Paper Handling

Maximum Mechanical Speed	2,700 impressions per hour
Maximum Sheet Size	560mm x 740mm
Maximum Stamping Area	540mm x 720mm
Maximum Sheet Thickness	5mm corrugated board to paper/board 1,800gr/mg
Minimum Grip Distance	10mm
Height of Feeder Pile	340mm
Height of Delivery Pile	500mm
Pre-loader	Fitted

Foil Handling

Maximum foil diameter	135mm @12 microns
Foil core size	25.4mm
Maximum foil roll width	500mm
Number of foil rewinds	2 full width
Minimum foil roll width	3mm
Number of Lengths per program	5
Number of pulls per length	Up to 99
Pull Resolution	1.mm

Heating

Heat Zones	4
Temperature range	0-200 degrees Centigrade
Temperature sensors	Removable bed (4)
Die Height	6.35mm – (Can be modified to take 7.00mm if required)

General

Dimensions approximate closed	1,460mm (W) x 2,600mm (L) x 1,980mm (H)
Weight (kg)	4,160 kg (approx.)
Air Supply	Not required
Machine power supply	3 phase neutral and earth connections 380 / 415 / 440 V
	50 / 60 Hz, 16 amps per phase, 11 kW
Duty Cycle	Continuously rated

Contact us today for more details

Tel: +44 (0)1443 553 400 Email: info@sfservices.com

